



MULTI-LAYER RICE COOKER

PMRCE -100P PMRCE -100N for 100 servings

PMRCE -150P PMRCE -150N for 150 servings



Prime

PRIME RICE COOKER IS THE BEST, A RECOGNIZED INDUSTRY LEADER IN THIS AREA

THIS PRODUCT HAS AUTOMATIC FIRE CONTROL SYSTEM, WHICH IS THE ONLY, AND THE FIRST IN THIS INDUSTRY FIELD

Prime's unique heat control system and pressure control techniques make the best flavor of rice



WITH PRIME'S AUTOMATIC HEAT CONTROL SYSTEM, THE TASTE OF RICE IS BEING SMOOTHER AND PROTECTING NUTRITION PERFECTLY

- The heat insulating board structure makes to minimize heat loss, and stainless pot lid prevents the pressure loss
- Also, with strong heat power and automatic heat control system makes brown rice and mixed grains rice are cooked without any problem which gives the best satisfaction



of the caldron

Flame-proof oven heating structure

Pressure type

RICE DOES NOT GET STUCK OR SCORCHED!

THE FIRST FUNCTION IN THIS INDUSTRY FIELD THAT TO COOK AT THE SAME TIME WITH SEVERAL LEVEL

- It is possible to cook all stages at the same time with a single push of button
- Get the convenience and perfection with the PRIME's Multi-layer rice cooker!

66

With the highest level of automatic heat control system and function of cooking at once,

You can reduce cooking time and gas consumption. The masterpiece is definitely different

The First Full Touch LCD in the world!

THIS PRODUCT HAS THE FIRST FULL TOUCH LCD FUNCTION, WHICH MAKES EASIER TO USE! (Manual operation-Analogue operation is also possible with operation dial!)

You can use it with rubber gloves on, because it apply with the pressure sensitive touch method! With the ergonomic operate dial design, anyone can rice cooking to perfect easily!



Used the High-end parts that used in super cars, There is no any Troble!



Automated operation from cooking to steam!



Do not look for manual book anymore! You can find user's manual on LCD directly.



The latest cooking data is automatically memorized for your convenience!



Reservation settings, screen brightness, volume, language can be set freely by customer!



Was it too difficult to find the reason of the error? Don't worry anymore! Now, It is possible to check accurate reason of the operation error with real time message during the operating of the rice cooker.



Don't worry even though there is power outage while cooking! The cooking process is automatically saved and memorized!, After power recovered, It will cook continually.

Automatic cooking function programs are saved by type of rice -such as polished rice, minor cereals, rice porridge and washed rice-, so that you can make various kinds of cooking rice with a single touch!



Full Touch LCD



MAIN SCREEN



COOKING SETTING SCREEN



•

SCREEN WHEN COOKING



ERROR SCREEN



MANAGER MODE SCREEN

GOOD DESIGN MARK & PINUP DESIGN AWARDS

FIRST TIME EVER IN THE SAME INDUSTRY, ACHIEVED TWO DESIGN PRIZE BY COMBINING PRIME'S TECHNOLOGY WITH DESIGN

PRIME'S UNIQUELY SOLID DESIGN FOR CONSUMERS



2-LAYER, 3-LAYER BODY FRAME STRUCTURE INTEGRATED

- The product is designed to be safer and more robust. Now it is time to feel the solidity of PRIME

ERGONOMIC TWO WAY HANDLE APPLIED

 Two way handle design for various user using directions! It's PRIME to consider from customer's perspective!

DESIGN WITH INCREASED USER'S CONVENIENCE AND AESTHETICS

- The LCD controller is tilted appropriately for the user's view point and positioned at the top side, so it is no necessary to bend the knee or waist When it is controlled
- The smallest height in Korea & the roller which is easy to put in and out of the pot, and the large capacity pot is also without any problem!

USE MATERIALS OF HIGH-END EQUIPMENT SUCH AS HIGH-END SPORTS CARS

- Increase the durability and quality of the product, the atmosphere of the kitchen is enhanced and the longer product life cycle!

Kitchen hygiene is as important as delicious food. **Cleanliness is also PRIME!**



PRIME'S RICE COOKER FOR CLEANLINESS

It is easy to clean the inside by applying the design of desorption tray. Specially designed exhaust ventilation net prevents mouses, worms, and other impurities going into the cooking chamber, enabling hygienic and clean use of the product.



ALUMINUM ALLOY CASTING BURNER PREVENTS CORROSION AND CLOGGING

It does not discolor and prevents corrosion and clogging even for long time use. It is possible to use cleanly without malfunction or deformation



MOST OF THE SPACE BETWEEN RICE COOKER AND KITCHEN FLOOR

Make the most of the space between the rice cooker and kitchen floor, so kitchen cleaning is easy

Trust in PRIME's technology that prioritizing safety and high efficiency!



EQUIPPED WITH THE LARGEST TRIPLE SAFETY DEVICE TO PREVENT ELECTRIC SHOCK AND FIRE ACCIDENT IN THE KITCHEN

- technology of electronic parts, and it can safely cut off the power and gas of the product through
- with triple safety device



PRIME'S SMART DESIGN TO REDUCE ENERGY CONSUMPTION



DOUBLE OVERHEAT PREVENTION SENSOR

the power is automatically and safely turned off

COOKING TIME DOWN!

Reduce the burden on the bill, raise energy efficiency!

PRIME make multi-layer rice cooker, it also becomes *luxury goods*.

PRODUCT SPECIFICATION

PMRCE-100P/N

Product Name	Multi-layer rice cooker		Model Name		PMRCE-100P / PMRCE-100N				
Width x Depth x Height	715x755x905 (mm)		Weight		93kg				
Gas Connection	20A, 25A		Electric		220v , 50/60Hz				
Power Consumption	45W		Minimum / Maximum Cooked Amount		20-50 servings / 1st stage				
Safety Device	Gas fire safety device, overheat prevention system, gas leakage prevention device, automatic fire extinguisher								
LPG	23 Kw		Gas Pressure						
LNG	23 Kw		Gas Pressure						
Gas Consumption	Division		Тор	Bottom	ALL				
	LPG	kw	11.5	11.5	23				
		kg/h	0.825	0.825					
		BTU	39244	39244	78487				
	LNG	kw	11.5	11.5	23				
		kcal/h	9.890	9.890	19.780				
		BTU	39244	39244	78487				



PMRCE-150P/N

Product Name	Multi-layer rice cooker		Model Name		PMRCE-150P / PMRCE-150N				
Width x Depth x Height	715x755x905 (mm)		Weight		135kg				
Gas Connection	20A, 25A		Electric						
Power Consumption	60W		Minimum / Maximum Cooked Amount		20-50 servings / 1st stage				
Safety Device	Gas fire safety device, overheat prevention system, gas leakage prevention device, automatic fire extinguisher								
LPG	34 Kw		Gas Pressure						
LNG	34 Kw		Gas Pressure		2.0kpa +0.5 -1.0				
Gas Consumption	Division		Тор	Middle	Bottom	ALL			
	LPG	kw	11.3	11.3	11.3	34			
		kg/h	0.81	0.81	0.81	2.43			
		BTU	38688	38688	38688	116064			
	LNG	kw	11.3	11.3	11.3	34			
		kcal/h	9.750		9.750				
		BTU	38688	38688	38688	116064			





[HEAD OFFICE AND FACTORY] 56, 34beon-gil Namdongdong-ro, Namdong-gu, Incheon, Korea [TEL]+82(0)70-4699-7788 [FAX]+82(0)32-446-1851 [WEBSITE] www.primewash.com [E-MAIL] primewash@hanmail.net

