



LOCAL MADE PEKING DUCK OVEN






PICTURES GALLERY



Rotary Roasting System (Optional)



Rotation Variable Speed Control (Optional)



MODELS & SPECIFICATIONS

Model	Internal Size	External Size	Height	Capacity	Power Requirement	Estimated Gas BTU/Hour	Gross Weight
CEPS-DK-800G-SQ	800 x 1050	1050 x 1300	2060 mm	8 ducks	220-240/50/1 13A	80,000	1,600 kg
CEPS-DK-1200G	1200 mm ø	1506 mm ø	2060 mm	10 ducks	220-240/50/1 13A	80,000	1,800 kg
CEPS-DK-1300G	1300 mm ø	1606 mm ø	2060 mm	12 ducks	220-240/50/1 13A	80,000	2,000 kg
CEPS-DK-1500G	1500 mm ø	1806 mm ø	2060 mm	16 ducks	220-240/50/1 13A	80,000	2,400 kg

**** We can customise any sizes upon request**

OVEN ACCESSORIES

- ☞ Double Gas Solenoid Valve
- ☞ Digital Temperature Controller
- ☞ Auto Ignition and Safety Cut Off
- ☞ Electronic Burner Controller
- ☞ Energy Saving Manual Gas Valve
- ☞ Stainless Steel Insulated Fire Separation Doors
- ☞ Gas Regulator and Pressure Gauge
- ☞ Fire Protection Spray Filter
- ☞ Rotary Speed Controller (Optional)



FOR ENQUIRY :