







KINCO Factory

CORE VALUE





PRICE COMPETITIVENESS • INNOVATION • ECO-FRIENDLY

Kinco is committed to offering better food storage and display solution through production of high quality products in accordance with international quality standards.



Eenhance price competitiveness, by extended product life duration and stabilization, as the result, electricity cost and maintenance cost can be reduced.



We believe success can only be achieved when someone who "Dare to change". Continuous innovate enable Kinco to consistently offer the finest product to all clients.



Endeavor to develop energy-efficient designs that reduce wasted resources and power consumption to reduce environmental impact.

To sum up the intent of Kinco's vision and mission statements is - Customers for Life. To achieve this it must listen to our valuable customers, anticipate their needs, and act to create value for their very specific requirements.

Countertop Cold Case

JK Series



JK-KTH

Dimension (mm)	Voltage	Amp
900(w) x 510(d) x 780(h)	220-240V / 50-60HZ	4A
1200(w) x 510(d) x 780(h)	220-240V / 50-60HZ	4A

- * 2 °C to 6 °C Cake Case
- * Standard Showcase detail, Please refer to drawing: JK-128-A06.

3 Tiers Display Showcase

Made in Taiwan

JK-C3

Dimension (mm)	Voltage	Amp
900(w) x 700(d) x 1200(h)	220-240V / 50-60HZ	5A
1200(w) x 700(d) x 1200(h)	220-240V / 50-60HZ	5A
1500(w) x 700(d) x 1200(h)	220-240V / 50-60HZ	6A
1800(w) x 700(d) x 1200(h)	220-240V / 50-60HZ	7A

- * 2 °C to 6 °C Cake Case
- * Standard Showcase detail, Please refer to drawing: JK-128-A01.



JK Series

4 Tiers Display Showcase



JK-C4

Dimension (mm)	Voltage	Amp
900(w) x 700(d) x 1350(h)	220-240V / 50-60HZ	6A
1200(w) x 700(d) x 1350(h)	220-240V / 50-60HZ	6A
1500(w) x 700(d) x 1350(h)	220-240V / 50-60HZ	7A
1800(w) x 700(d) x 1350(h)	220-240V / 50-60HZ	8A

2 °C to 6 °C Cake Case

* Standard Showcase detail, Please refer to drawing: JK-128-A07.

5 Tiers Display Showcase



JK-C5

Dimension (mm)	Voltage	Amp
900(w) x 700(d) x 1900(h)	220-240V / 50-60HZ	9A
1200(w) x 700(d) x 1900(h)	220-240V / 50-60HZ	9A
1500(w) x 700(d) x 1900(h)	220-240V / 50-60HZ	11A
1800(w) x 700(d) x 1900(h)	220-240V / 50-60HZ	12A

- * 2 °C to 6 °C Cake Case
- * Standard Showcase detail, Please refer to drawing: JK-128-A04.







KINCO Headquarters

12/F., Sunbeam Commercial Building, 469-471 Nathan Rd., Yau Ma Tei, Kln., H.K. Tel: (852) 2442 1108 Fax: (852) 2442 1155

JETCOOL Plus+ Showroom

G/F., No. 285 Shanghai Street, Kln., H.K. Tel: (852) 2442 1192 Fax: (852) 2442 1255

JAYCEE Concept

G/F., No. 277 Shanghai Street, Kln., H.K. Tel: (852) 2442 1108 Fax: (852) 2442 1155

KINCO Macau

Avenida do Almirante Lacerda No. 27, Macau Tel: (853) 2821 0811 Fax: (853) 2821 0813

KINCO China

Room 14, 4/F., Administrative Committee, Wangcheng New District, Nanchang, China Tel: (86) 791 8372 0188 Fax: (86) 791 8372 0366

KINCO Taiwan

No. 646, Minquan 2nd Road, Lingya District, Kaohsiung City, Taiwan 806 Tel:(886)7-3526002 Fax:(886)7-3514170



www.kinco.com.tw www.jetcool.com.tw