



Heavy-duty mixers are designed to operate safely and efficiently under heavy work conditions. These mixers are built to the safety standards of CE & EMC, utilizing stainless steel safety guards. A virtually silent hardened alloy gear transmission is powerful enough to keep up with peak demands. Our gears are 25% greater in size than those in competitive models.

# PLANETARY MIXER PM-40

#### **STANDARD FEATURES**

- 6 ft. flexible 3 wire cord and ground prong/plug
- Air cooled grease packed ball bearing
- Heat-treated, hardened alloy, precision milled gear transmission
- Long lasting rubber composite cogged belt
- Stainless steel bowl equipped with dough hook, flat beater, and whip
- 3 speeds available: low, high, & intermediate
- Emergency stop button
- Equipped with thermal overload protection
- 15 minute timer
- Equipped with #12 hub attachment to power optional PLM mincer or PLV vegetable slicer attachments
- Equipped with removable safety guard
- Metallic bronze epoxy enameled top
- Metallic gray epoxy enameled bottom
- Sturdy hand lever adjusts bowl height, locks bowl Into place

# PLANETARY MIXER

## **Technical Data**

Motor	1.5 HP 1.2 kW
Electric	220/50/1,440/60/3, or 208/60/1
Bowl capacity	40 Quarts 37.85 Liters
Agitator speed	Low: 99 RPM Intermediate: 176 RPM High: 320 RPM
Gear/belt transmission	Precision milled gear transmission with cogged belt
Machine dimensions (L x W x H)	738.33 mm x 637.86 mm x 1315.3 mm (30.84" x 25.11" x 51.78")
Net weight	250 Kg (551.16 lbs.)
Shipping weight	290 Kg (639.34 lbs.)

### **Detail & Dimensions**





#### **POWERLINE EQUIPMENT COMPANY**

Pulaski Street, Norwalk, CT 06851 USA. Tel: 203-847 2357 Fax: 203-847 6480

www.powerlineequip.com