

# ITCBA, CE 220-240V 29" Trunk W/Tray

Height: 35.0" Width: 22.1" Depth: 11.6"  
(88.9cm) (56.1cm) (29.5cm)



- Sleek modernized design language, with rounded angles on the corners and trunk
- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 7-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Brews into all BUNN iced tea dispensers (except TDS-5), 1.9 to 3.8 liter airpots, thermal carafes --- and can accommodate BUNN ThermoFresh® Servers [servers not included]
- Includes integrated flip tray that converts to three positions: thermal carafe, airpot and tea dispenser

Agency:



## Specifications

**Product #:** 52200.0500

**Funnel:** Black Plastic

**Water Access:** Plumbed

**Interface:** Wireless

**Finish:** Stainless

## Additional Features

BrewWISE

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
220-240	13.2-14.1	2900-3400	Yes	EURO 16A	336	60°F (15.5°C)	1	2	50-60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	1.25


## CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
11/21/2019



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	11.6	22.1 in.	38.0 in.	13.3	27.4 in.	47.600 lbs	7.976 ft³
Metric	88.9 cm	29.5	56.1 cm	96.5 cm	33.7	69.5 cm	21.591 kgs	0.226 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
11/21/2019

Related Products & Accessories:ITCBA, CE 220-240V 29" Trunk W/Tray(52200.0500)



FILTERS, GOURMET 500  
500/1 50/CL

---

Product #: 20138.1000



WATER FILTER,  
EQHP-10

---

Product #: 39000.0004



WATER FILTER, EQHP-  
TEA

---

Product #: 39000.0007



CARTRIDGE,  
EQHP-10CARTG

---

Product #: 39000.1004



CARTRIDGE, EQHP-  
TEACARTG

---

Product #: 39000.1007



FUNNEL ASSY, SMART  
COFFEE BLK-CLEARED

---

Product #: 53463.0021

FUNNEL ASSY, TEA  
NATURAL QUICK BREW

---

Product #: 53463.0023

STAND ASSY, TF  
SERVER

---

Product #: 54473.0000



# Serving & Holding Options: ITCBA, CE 220-240V 29" Trunk W/Tray(52200.0500)



TD4, SIGHT GAUGE  
SWT/UNSWT HDL

Product #:03250.0003



TD4T, SIGHT GAUGE  
NUDGER HDL

Product #:03250.0004



TD4T, BREW THRU LID  
NUDGER HDL

Product #:03250.0005



TD4, BREW THRU LID  
SWT/UNSWT HDL

Product #:03250.0006



TD4T, BREW THRU LID  
NO DECAL NUDGER  
HDL

Product #:03250.0018



TD4T, W/ LIFT HANDLE

Product #:03250.0042



TD4T, W/BREW THRU  
LID & LIFT HANDLE

Product #:03250.0043



AIRPOT, 2.5L GL PB  
SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L SST LA  
SINGLE PK

Product #:32125.0000



AIRPOT, 3.0L SST LA  
SINGLE PK

Product #:32130.0000



TDS-3, 3 GAL

Product #:33000.0000



TDS-3.5, 3.5 GAL

Product #:33000.0023



TDO-4, RESERVOIR

Product #:34100.0000



TDO-5, RESERVOIR

Product #:34100.0001



TDO-4, RESERVOIR  
BREW THRU

Product #:34100.0002



TDO-5, RESERVOIR,  
BREW THRU

Product #:34100.0003



THERMAL CARAFE, BLK  
1.9L 1PK

Product #:36029.0001



THERMAL CARAFE, ORN  
1.9L 1PK

Product #:36252.0001

PARTS BOX/CONT (ITCB  
29")

Product #:36752.0000



TDO-N-3.5, RSVR

Product #:39600.0001



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
11/21/2019

## Serving & Holding Options: ITCBA, CE 220-240V 29" Trunk W/Tray(52200.0500)



TDO-N-3.5, RSVR W/  
LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/  
PINCH TUBE

Product #:39600.0047



CARAFE,SST 1.9L SHRT  
BLK 1

Product #:40163.0000



CARAFE,SST 1.9L SHRT  
ORN 1/

Product #:40163.0001



TF SERVER, 1G DSG  
NOBASE GEN3

Product #:42700.0250



TD3T-N, RSVR BREW  
THRU LID BUNN

Product #:43900.0001



TD3T-N, RSVR SOLID  
LID BUNN

Product #:43900.0002



TF SERVER, 1G MECH  
NOBASE GEN3

Product #:44000.0250



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
11/21/2019