

# NON-GN AEGLOS UPRIGHT REFRIGERATOR SERIES (AURS)

AURS 非GN高身櫃系列



# ABOUT US

## 關於伊洛斯

廣東伊洛斯製冷科技有限公司，成立於2013年，工廠座落於中國東莞，是一家集研發，設計，生產，銷售，服務為一體的國家級高新技術商用冷櫃生產企業。公司是由一群具有20多年的有關製冷經驗的技術型人士和市場營銷人士合力管理及營運，時至今日，工廠註冊資金150萬美元，工廠面積約8000平方米，工廠員工接近100人。

我們擁有先進的鈑金加工機械設備，近期更增置了從歐洲進口的數控沖床、自動折彎中心等現代化加工設備，加強生產與研發，務求不斷提升產品品質及完善的服務。

伊洛斯制冷設備涵蓋了不同類型的商用雪櫃，當中包括直立式冷藏櫃，冰淇淋櫃，急速冷凍櫃，酒櫃等等，務求滿足全球商業餐飲服務機構，包括酒店、餐廳、酒吧、連鎖快餐和生產廚房的需求。

時至今日，除了在中國東莞設立工廠，伊洛斯更在香港、新加坡、澳門及馬來西亞均設有辦事處。同時，伊洛斯的產品除了銷售到中港澳外，更是出口到海外市場，例如新加坡、印度、菲律賓及緬甸等地方。不但在銷售額上亦有穩健增長，更建立了一眾忠誠的客戶群及口碑。

Aeglos Refrigeration Manufacturing Company Limited, located in Dongguan China, was established in 2013. It is managed and operated by a group of over 20-years of experience engineers & Marketing experts. Until now, we have built form nothing to USD 1,500,000 as registered capital, nearly 8,000 square meters factory space with over 100 employees.

Today, we are proud to showcase our current facilities and state of the art automated machines with more precise equipment such as numerical control punch, automatic bending center, automatic feon charger, all these machines are 100% imported from Europe, we believe with such investment will definitely able to produce Beautiful, Consistent & reliable product to the market.

Our comprehensive line of refrigerated cabinets includes upright refrigerators, ice-cream freezers, blast freezers, wine cabinet etc, all of which designed to meet the needs of the most demanding customers around the world, including hotels, restaurants, bars, fast food chaines and production kitchens.

Today, apart from our factory in China, we have regional office in Hong Kong, Macau, Singapore and Malaysia, hopefully in years to come, we will expand our network worldwide.

## NON-GN UPRIGHT REFRIGERATOR

非GN高身雪櫃



## NON-GN UPRIGHT DUAL TEMP REFRIGERATOR

非GN高身雙溫雪櫃




# Non-GN Upright Refrigerator

## 非GN 高身櫃系列

伊洛斯冷藏櫃內外採用不銹鋼製造，堅固可靠。特選鍍鋅底部及背部設計，確保品質同時增加成本效益。

This Aeglos non-GN stainless steel exterior and interior allows superior corrosion resistance and cleanability. With a galvanized steel back and base, it delivers high-quality as well as maximized cost savings.





## Product Features 產品優點

- 不銹鋼外殼及內膽
- 鍍鋅底及背
- 採用150mm高的可調子彈腳
- 自動化水設計
- 數字溫控
- 220v/50Hz
- Stainless steel exterior and interior
- Galvanized steel back and base
- 150mmH Adjustable legs
- Self evaporating condensation water, drainage not required.
- Digital Contoller
- 220v/50Hz

## Alternative 備選

- 配燈
- 輪子
- 發熱玻璃門
- 雙通門
- 雙通發熱膜玻璃門
- 220V/60Hz
- Interior light
- Castors
- Heated film glass door
- Double pass through door
- Dual heating film through the glass door
- 220V/60Hz


# Non-GN Upright Refrigerator

## 非GN 高身櫃系列

伊洛斯冷藏櫃內外採用不銹鋼製造，堅固可靠。特選鍍鋅底部及背部設計，確保品質同時增加成本效益。

This Aeglos non-GN stainless steel exterior and interior allows superior corrosion resistance and cleanability. With a galvanized steel back and base, it delivers high-quality as well as maximized cost savings.





## Product Features 產品優點

- |                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• 不銹鋼外殼及內膽</li> <li>• 鍍鋅底及背</li> <li>• 採用 150mm 高的可調子彈腳</li> <li>• 櫃門配鎖牌</li> <li>• 自動化水設計</li> <li>• 220v/50Hz</li> </ul> | <ul style="list-style-type: none"> <li>• Stainless steel exterior and interior</li> <li>• Galvanized steel back and base</li> <li>• 150mmH Adjustable legs</li> <li>• Self evaporating condensation water, drainage not required.</li> <li>• Digital Contoller</li> <li>• 220v/50Hz</li> </ul> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Alternative 備選

- |                                                                                                                                                              |                                                                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• 配燈</li> <li>• 發熱膜玻璃門</li> <li>• 雙通門</li> <li>• 雙通發熱膜玻璃門</li> <li>• 輪子</li> <li>• 圓鎖</li> <li>• 220V/60Hz</li> </ul> | <ul style="list-style-type: none"> <li>• Interior light</li> <li>• Heating film glass door</li> <li>• Double pass through door</li> <li>• Dual heating film through the glass door</li> <li>• Castors</li> <li>• Proprietary cam lock</li> <li>• 220V/60Hz</li> </ul> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# Aeglos Non-GN Upright Refrigerator Series (AURS)


非GN高身櫃系列

產品編碼

## Product Code

### M 4 - U4 HD 122 C

1.1 1.2 1.3 1.4 1.5 1.6



#### 1.1 Body Depth 柜身深度

M = 760mm Depth

#### 1.2 Material 材料

3 = 304 SS  
4 = 430 SS

#### 1.3 No Of Door 门数

U1 = 1 Door  
U2 = 2 Doors  
U4 = 4 Doors

#### 1.4 Door Type 门外型

FD = Solid Door 实门  
HD = Half Solid Door 半实门  
GD = Heated Film Glass Door 发热玻璃门

#### 1.5 Body Length 柜身尺寸

063 = 630mm  
122 = 1220mm

#### 1.6 Temperature Range 温度

C = +1~+4  
F = -22~-18

# Non-GN Aeglos Upright Refrigerator Series (AURS)

## NON-GN UPRIGHT REFRIGERATOR 非GN高身雪柜

| Model No.                                    | M4-U1FD063C | M4-U1FD063F | M4-U2HD063C | M4-U2HD063F | M4-U2FD122C | M4-U2FD122F | M4-U4HD122C | M4-U4HD122F |
|----------------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Temp Range (°C)<br>温度 (°C)                   | +1~+4       | -22~-18     | +1~+4       | -22~-18     | +1~+4       | -22~-18     | +1~+4       | -22~-18     |
| External Dimension (mm) 外尺寸 (毫米)             |             |             |             |             |             |             |             |             |
| Width 宽度                                     | 630         | 630         | 630         | 630         | 1220        | 1220        | 1220        | 1220        |
| Depth 深度                                     | 760         | 760         | 760         | 760         | 760         | 760         | 760         | 760         |
| Height 高度                                    | 1980        | 1980        | 1980        | 1980        | 1980        | 1980        | 1980        | 1980        |
| Internal Dimension (mm) 内尺寸 (毫米)             |             |             |             |             |             |             |             |             |
| Width 宽度                                     | 520         | 520         | 520         | 520         | 1110        | 1110        | 1110        | 1110        |
| Depth 深度                                     | 608         | 608         | 608         | 608         | 608         | 608         | 608         | 608         |
| Height 高度                                    | 1380        | 1380        | 1380        | 1380        | 1380        | 1380        | 1380        | 1380        |
| Thickness Of Stainless Steel (mm) 不锈钢厚度 (毫米) |             |             |             |             |             |             |             |             |
| Exterior                                     | 0.5         | 0.5         | 0.5         | 0.5         | 0.5         | 0.5         | 0.5         | 0.5         |
| Interior                                     | 0.5         | 0.5         | 0.5         | 0.5         | 0.5         | 0.5         | 0.5         | 0.5         |
| Door                                         | 0.6         | 0.6         | 0.6         | 0.6         | 0.6         | 0.6         | 0.6         | 0.6         |
| Opening Depth (mm) 打开总深度 (毫米)                |             |             |             |             |             |             |             |             |
| Door Type 门款                                 | 1325        | 1325        | 1325        | 1325        | 1325        | 1325        | 1325        | 1325        |
| Storage Capacity (litres) 储货容积 (公升)          |             |             |             |             |             |             |             |             |
| Capacity (litres)<br>容积 (公升)                 | 426         | 426         | 426         | 426         | 931         | 931         | 931         | 931         |
| Power Supply 电压                              |             |             |             |             |             |             |             |             |
| Current (amps)<br>电源 (安培)                    | 3.3         | 3.8         | 3.3         | 3.8         | 3.5         | 4.2         | 3.5         | 4.2         |
| Power (watts)<br>功率 (瓦特)                     | 703         | 780         | 703         | 780         | 736         | 820         | 736         | 820         |
| Condensor (Hp)<br>机组 (匹)                     | 1/3         | 1/2         | 1/3         | 1/2         | 1/3         | 3/4         | 1/3         | 3/4         |
| Refrigerant<br>制冷剂                           | R134a       | R404a       | R134a       | R404a       | R134a       | R404a       | R134a       | R404a       |
| Standard Accessories 标准配件                    |             |             |             |             |             |             |             |             |
| PE Coated Shelves<br>浸塑层网(件)                 | 4           | 4           | 4           | 4           | 8           | 8           | 8           | 8           |
| Shelf Supports<br>碟仔(隻)                      | 16          | 16          | 16          | 16          | 32          | 32          | 32          | 32          |

