



CHEFTOP MIND.MapTM **ONE**



Index

CHEFTOP MIND.Maps™ ONE combi-steamers	page	4
Cooking Assistance	page	8
Technologies	page	12
ONE resistive control panel	page	18
CHEFTOP MIND.Maps™ ONE COUNTERTOP	page	20
CHEFTOP MIND.Maps™ ONE COMPACT	page	26
CHEFTOP MIND.Maps™ ONE BIG	page	32
CHEFTOP MIND.Maps™ ONE BIG COMPACT	page	38
Care and Maintenance	page	44
Technical data	page	50
Technical Assistance	page	60
Unox in the world	page	62

The essence of a combi oven

CHEFTOP MIND.Maps™ ONE is the professional combi oven that allows you to obtain concrete cooking performances in a simple and intuitive way. Your experience, combined with manual functions and essential technologies, becomes fundamental. Perfectly essential, simply effective.

MIND.Maps™ ONE ovens are available in four versions, each one designed to meet the specific needs of the businesses they are made for:

COUNTERTOP 3, 5, 7 and 10 GN 1/1 trays for restaurants and deli corners in retail;

COMPACT from 5 GN 2/3 trays for professional kitchens and retail shops with limited space available for equipment;

BIG with 20 GN 1/1 trolley, for large kitchens;

BIG COMPACT with 20 GN 1/1 trolley, for large kitchens.



CHEFTOP MIND.Maps™ ONE
COMPACT




CHEFTOP MIND.Maps™ ONE
COUNTERTOP



CHEFTOP MIND.Maps™ ONE
BIG



CHEFTOP MIND.Maps™ ONE
BIG COMPACT



Designed by your desires

Services

Our promise is to guarantee you absolute peace of mind. Stay focused on your goals knowing that we are always by your side.

Try the oven for free. It's on us.

01

Book

Choose when and where to try your next Unox oven. Call our customer service and set up an appointment at your convenience.

Set up an appointment,
call us or book it online on unox.com

02

Cook with us

In your kitchen, with your ingredients and your recipes: a Unox Chef will make you experience all the benefits of the ovens' technologies.

03

Choose

Being sure of the results you can achieve, take the time you need to make a choice based on solid certainties.





Cooking Assistance

TOP.Training

Discover your oven



Learn, use, improve

Top.Training is the Unox free training service. Our Chefs will show you everything you need to get the best from your new oven, from its basic features to its most advanced technologies.

Download the **Top.Training** app
from Google Play or App Store

Data Driven Cooking Community

Inspire and be inspired



A world of Recipes for your ovens

Let yourself be inspired by the DDC.App cookbook: download the recipes prepared by the Unox Chefs and by the DDC community users. Participate in the community and share your recipe!

Download **DDC.App**
from Google Play or App Store

CHEF.Line

You call, Unox answers



24/7

The Unox Chef Team is always at your disposal to give you practical advice on programs cooking methods and to suggest you new recipes: from the most traditional to the most innovative ones.

Call us
International
+39 049 86 57 511
Oceania
+61 3 9876 0803



Apple Store



Play Store

**Easy.
Precise.
Effective.**

Unox Intensive Cooking

The most advanced technologies to guarantee perfect cooking, uniformity on every tray and maximum cooking intensity.

Data Driven Cooking


Artificial intelligence which allows you to monitor your oven usage and provides you with suggestions to use the ovens in a better way.

Anton Bodyashkin - Ugli Restaurant - Russia

Unox Intensive Cooking

Maximum cooking intensity

Perfect cooking, uniformity on each tray, saturated and dense steam or complete extraction of humidity, intense or gentle air flows.



DRY.Maxi™

Humidity gives way to flavour.
Effectively removes humidity from the cooking chamber to give your preparations perfect consistency, colour and crunchiness every time.



STEAM.Maxi™

The power of steam is in your hands.
Generates saturated steam from 35 °C and delivers high steaming performance combined with energy and water savings.

7 minutes
full load of **crunchy bacon**



10 minutes
full load of **pork chops**

26 minutes
full load of **steamed rice**

28 minutes
full load of **steamed potatoes**

41 minutes
full load of **roasted chickens**

Focus on your customers, rely on the CHEFTOP MIND.Maps™ **PLUS** combi oven.
Discover the most intelligent ovens in the world on our website www.unox.com



AIR.Maxi™

Conducts, unites, transforms.
Uses multiple high flow reversing fans to deliver uniform results and short cooking times. 4 speeds of the fan allow to perform any kind of cooking.



CLIMALUX™

Total humidity control.
The oven features accurate sensors to measure the actual humidity inside the cooking chamber and automatically activates steam production or evacuation to ensure that actual humidity always matches the set one.

Data Driven Cooking

**Create.
Understand.
Improve.**

The Data Driven Cooking
Artificial Intelligence
transforms the consumption
data of your oven into useful
information that allows you
to increase your daily profit.

Data will be always accessible by smartphone or PC

An ecosystem to be discovered




Create and share

Your recipes in all your ovens.
Create your recipe book and synchronize it with all your ovens with just one click, keeping all your kitchens or stores up to date. You may create it directly from one of your ovens or from your PC.



Understand

Monitor and improve your performance.
DDC.Stats gives you full control over energy, water, and detergent consumption and over your cooking times and oven usage. Compare the performances, detect anomalies and get useful information to improve the efficiency of the ovens in your network.



360° Assistance

Let DDC.Coach train you.
DDC.Coach is a digital assistant that provides you with advice based on the actual use of your ovens. This allows you to take full advantage of their potential. Capitalize the abilities of your ovens and maximize the return on your investment!



ONE resistive control panel

Easy and quick

Manual set, MIND.Maps™ programming and up to 384 cooking process memory. Set, cook, serve.

ONE control panel functions

State of the art simplicity



Set

Easy, fast and crystal-clear.

Set any cooking process in a rapid and intuitive way for each of the available cooking steps. All the settings you need in a single screen, up to 9 cooking steps. Limitless creativity.



Programs

384 Programs memory.

All your recipes are unique and repeatable thanks to the personal library that allows you to store and organize your cooking programs. The oven can store 384 programs organized in 16 different groups.



MIND.Maps™

Do not set a cooking process, draw it.

Add your touch of brilliance. Draw even the most elaborate cooking with a few hand gestures on the display. Design your most complex cooking processes with maximum creative freedom. You imagine, the oven executes.



CHEFTOP MIND.Maps™ ONE COUNTERTOP

The combi oven for Foodservice

CHEFTOP MIND.Maps™ **ONE**
COUNTERTOP is the point
of reference for each
kitchen that needs solid
performances, intuitive
technologies and ease of use.

Get what you wish for

Give shape to your cooking skills

CHEFTOP MIND.Maps™ **ONE** COUNTERTOP is the professional combi oven that stands out for its simplicity. Nothing superfluous, nothing left to chance. Cook every dish being confident that you will always obtain the desired result.

CHEFTOP MIND.Maps™ ONE COUNTERTOP and its accessories create a unique cooking station able to cook multiple cooking processes that would otherwise require multiple pieces of specific equipment.

Easy, traditional and perfect meals. It is your experience that makes the difference; the oven guarantees you the result you desire. Simplicity translated into reliability and savings.

up to **40%**

Less energy compared to a traditional grill


up to **80%**

Less water compared to cooking in boiling water

up to **90%**

Less oil compared to a fryer

Looking for more performance?
Discover CHEFTOP MIND.Maps™ **PLUS**
on our website www.unox.com



Cooking Quality
Get the result
you are looking for

Savings
Energy, time
and ingredients

Reliability
Effective technology,
solid performances



Solutions to maximize your working space

Increase your Possibilities

Find all the possible solutions for your kitchen.
Configure your CHEFTOP MIND.Maps™ ONE oven online.



Configurations



Oven + Oven

The solution with two stacked units is ideal for maximum versatility, flexibility and energy savings.



Oven + Neutral cabinet

Recommended solution to optimize your kitchen layout and always have everything in the right place.

Art. XWEC-0811
Technical details at page 56



Oven + Slowtop

Ideal oven for butchers and deli shops, that combine intense cooking processes with gentle ones, such as holding and night-time cooking.

Art. XEVSC-0711-CRM
Technical details at page 56



Oven + Oven + Hood

Within the ventless hood, a self-cleaning filter removes odours from the fumes that are expelled through the oven chimney.

Art. XEVH-HC11
Technical details at page 56

Configurations

COUNTERTOP

COUNTERTOP



CHEFTOP MIND.Maps™ ONE COMPACT

The compact combi oven for Foodservice

CHEFTOP MIND.Maps™
ONE COMPACT is the ideal
solution for professional
kitchens that require
maximum simplicity
in the smallest footprint.

Extraordinary compactness

Concentrated power

CHEFTOP MIND.Maps™ **ONE** COMPACT is the ideal solution for professional kitchens requiring the least footprint and maximum performance.

CHEFTOP MIND.Maps™ ONE COMPACT is the combi oven with which you can easily make any type of cooking in the smallest possible space.

Cooking versatility that reaches its apex when using multi-chamber solutions that give free versatility to ever-changing menus.

24%

Less footprint compared to a non compact oven

40 kg


Maximum capacity
2 x 2 combination *

530 mm

One of the **narrowest** ovens in its category

*Data refers to a 4 XECC-0523-E1RM ovens combination.

Looking for more performance?
Discover CHEFTOP MIND.Maps™ **PLUS**
on our website www.unox.com



Reduced footprint
Get the most from vertical spaces


Flexibility
Stack 2 units to enable different cookings at the same time

Savings
A smaller cooking chamber requires less energy

Compact combinations

The benefits of 4 cooking chambers in the footprint of 2.

A restaurant is made of variable rhythms; turn on just the ovens you need, reducing energy consumption, or turn all of them on for maximum flexibility.



Same space, double capacity.

Discover CHEFTOP MIND.Maps™ **PLUS** COMPACT
GN 1/1 version on our website www.unox.com

Find all the possible solutions
for your kitchen.
Configure your
CHEFTOP MIND.Maps™ ONE oven online.



1 m



CHEFTOP MIND.Maps™ ONE BIG

The combi oven for Large Kitchens

The CHEFTOP MIND.Maps™ **ONE BIG** trolley oven is the ideal tool for large kitchens, which need simple technology, cooking quality and high productivity.

What matters to you

The essence of food production

CHEFTOP MIND.Maps™ **ONE** BIG
is the professional trolley oven
which allows you to make large
quantities of cookings in a simple
and intuitive way.

CHEFTOP MIND.Maps™ ONE BIG features
simplified technology designed to give concrete
support to your work.

Grilling, browning, traditional cooking and much
more: high performances that meet the needs
of those professionals who look for practicality
and reliability.

90 kg

Full load maximum
capacity

260 °C

Maximum cooking
temperature


6.5 mins

Preheating time
from 30 °C to 260 °C

Data refer to XEVL-2011-EIRS model

Exceed your limits.


Find out on www.unox.com
the limitless performances
of CHEFTOP MIND.Maps™ **PLUS** BIG,
with its 6 reverse gear fans
and vertical heating elements.



Productivity
High volumes,
zero stops

Quality
Get the results
you are looking for

Reliability
Effective technology,
solid performances



Solutions that maximise your return on investment

Practicality and speed at your service

CHEFTOP MIND.MapTM BIG ONE ovens are the ideal solution for all common cooking tasks in cooking centres and large kitchens looking for reliability, certainty of results and a quick return on investment.


Find all the possible solutions
for your kitchen.
Configure your
CHEFTOP MIND.MapTM ONE oven online.



Solutions



2,8 m



Tray insertion from the long side

Better visibility of all the food
in the oven, even when fully
loaded.

Do you need a solution that is
compatible with GN1/2 and GN1/3
trays? Discover CHEFTOP MIND.MapTM
BIG COMPACT at page 42



QUICK.Load

20 GN 1/1 trolleys
for fast insertion in the
oven and easy transport
of full loads.

Art. XEVTL-2011
Technical details at page 57



QUICK.Plate

A trolley to regenerate up to
51 plates in a few minutes.
We are at your disposal to
customize your QUICK.Plate
based on your specific needs.

Art. XEVTL-051P
Technical details at page 57



HOLDING.Cover

Holding cover keeps
the regenerated plates
at the right temperature
before serving.

Art. XUC030
Technical details at page 57

Solutions



CHEFTOP MIND.Maps™ ONE BIG COMPACT

Compact outside,
big inside

CHEFTOP MIND.Maps™ **ONE** BIG
COMPACT professional trolley oven
is the ideal tool for large kitchens,
that need simple technology,
to maximise productivity
and space.

Small spaces, big productions

The essence of production without space limits

CHEFTOP MIND.Maps™ **ONE** BIG COMPACT is the professional trolley oven which allows you to maximise the productivity per square meter in a simple and intuitive way.

CHEFTOP MIND.Maps™ ONE BIG COMPACT concentrates an extraordinary simple technology in 650 mm width to give you maximum performance in minimum space.

Grilling, browning, traditional cooking and much more: high productions that meet the professional needs of those who prefer practicality of use and reliability.

90 kg

Full load **maximum capacity**

260 °C

Maximum **cooking temperature**

6.5 min

Preheating time
from 30 °C to 260 °C

Reduced footprint
Maximum productivity
in just 0,65 square
metres

Compatibility
The trolley is compatible
with the majority
of blast chillers

Reliability
Effective technology,
solid performances



Solutions that maximise the productivity per square metre

Small spaces, big productions

The benefits of 4 ovens
in the footprint of 3


Find all the possible solutions
for your kitchen.
Configure your
CHEFTOP MIND.Maps™ ONE oven online.



Solutions



2,8 m



Compatible with GN1/1,
GN1/2 and GN1/3 trays

Compact design achieved by
inserting the tray from the
short side.

Do you need a solution with tray
insertion from the long side?
Discover CHEFTOP MIND.Maps™ BIG
at page 36.

QUICK.Load

20 GN 1/1 trolleys
for fast insertion in the oven
and easy transport of
full loads.

Art. XECTL-2013
Technical details at page 57

QUICK.Plate

A trolley to regenerate up to
51 plates in a few minutes.
We are at your disposal to
customize your QUICK.Plate
based on your specific needs.

Art. XECTL-051P
Technical details at page 57

HOLDING.Cover

Holding cover keeps
the regenerated plates
at the right temperature
before serving.

Art. XUC033
Technical details at page 57

Solutions

BIG COMPACT

43

BIG COMPACT

42



Discover **SENSE.Klean**,
the technology that reduces
the consumption of water, detergent
and energy.

Available only for
CHEFTOP MIND.Maps™ PLUS ovens.


Take care of your oven

Care and maintenance

Press a button and select
the washing mode that
is more suitable for the
actual degree of dirt.
While the oven washes,
focus on what counts
for your kitchen.

UNOX.Pure

DET&Rinse™



Care and Maintenance



PURE-RO

Reverse osmosis system that reduces the carbonate hardness of water to zero, thus avoiding any scale deposits inside the oven.

Art. XHC002
Technical details at page 56

Not required for CHEFTOP
MIND.Maps™ BIG ovens.



PURE

The UNOX.Pure filter reduces the carbonate hardness in water, thus avoiding scale deposits inside the oven cooking chamber.

Art. XHC003
Technical details at page 56



REFILL

Replacement cartridge for UNOX.Pure.

Art. XHC004
Technical details at page 56



PLUS

Cleaning and rinse agents to combine maximum cleanliness with minimum consumption and long life for your oven.

Art. DB1015
Technical details at page 56



ECO

Eco formula for daily cleaning and the utmost respect for the environment. Ideal for mild level of dirt.

Art. DB1018
Technical details at page 56



ULTRA

Ultra strong detergent for high level of dirt, recommended for poultry and meat fats.

Art. DB1050*
Technical details at page 56

*Check the product availability for your Country.

Care and Maintenance

MIND.Maps™ ONE










MIND.Maps™ ONE

Discover all the ovens and their combined accessories



The essence of a combi oven

CHEFTOP MIND.Mapsm ONE



COUNTERTOP

			
750 x 783 x 538 mm w x d x h	750 x 783 x 675 mm w x d x h	750 x 783 x 843 mm w x d x h	750 x 783 x 1010 mm w x d x h
 XEVC - 0311 - EIRM	 XEVC - 0511 - EIRM	 XEVC - 0711 - EIRM	 XEVC - 1011 - EIRM
capacity 3 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 230 V ~ 1N 400 V ~ 3N power 5 kW weight 54 kg	capacity 5 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 230 V ~ 1N 400 V ~ 3N power 9,3 kW weight 65 kg	capacity 7 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 400 V ~ 3N power 11,7 kW weight 81 kg	capacity 10 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 400 V ~ 3N power 18,5 kW weight 92 kg
 XEVC - 0511 - EIRM - LP low power version power 7 kW			



COMPACT


535 x 672 x 649 mm w x d x h
 XECC - 0523 - EIRM
capacity 5 GN 2/3 pitch 67 mm frequency 50/60 Hz voltage 230 V ~ 1N 400 V ~ 3N power 5,2 kW weight 55 kg



BIG


892 x 1018 x 1875 mm w x d x h
 XEVL - 2011 - EIRS
capacity 20 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 380-415V 3N~ power 29,3 kW weight 262 kg

BIG COMPACT


650 x 1002 x 1875 mm l x p x h
 XECL - 2013 - EIRS
capacity 20 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 380-415V 3N~ power 35,5 kW weight 285 kg

Features

	 BIG and BIG COMPACT	 COUNTERTOP and COMPACT
UNOX INTELLIGENT PERFORMANCE		
ADAPTIVE.Cooking™: automatically regulates the baking parameters to ensure repeatable results	-	-
CLIMALUX™: total control of the humidity in the baking chamber	●	●
SMART.Preheating: sets automatically the temperature and the duration of the preheating	-	-
AUTO.Soft: manages the heat rise to make it more delicate	-	-
SENSE.Klean: estimates how dirty the oven is and suggests appropriate automatic cleaning	-	-
UNOX INTENSIVE COOKING		
DRY.Maxi™: rapidly extracts the humidity from the baking chamber	●	●
STEAM.Maxi™: produces saturated steam starting from 35 °C	●	●
AIR.Maxi™: multiple fans with reverse gear and 4 speed settings	●	●
EFFICIENT.Power: ENERGY STAR certified energy efficiency	-	-
PRESSURE.Steam: increases the saturation and temperature of steam	-	-
DATA DRIVEN COOKING		
Wi-Fi connection	○	○
Ethernet connection	○	○
ddc.unox.com: control the oven usage in real time, create and send recipes from your PC to your ovens	●	●
DDC.Stats: analyse, compare and improve the user and consumption data of your oven	-	-
DDC.App: monitor all connected ovens in real time from your smartphone	●	●
DDC.Coach: analyses the way in which you use the oven and suggests personalised recipes	●	●
MANUAL BAKING		
Convection baking from 30 °C to 260 °C	●	●
Convection baking from 30 °C to 300 °C	-	-
Mixed convection + steam baking starting from 35 °C with STEAM.Maxi™ from 30% to 90%	●	●
Convection + humidity baking starting from 48 °C with STEAM.Maxi™ from 10% to 20%	●	●
Saturated steam baking starting from 48 °C to 130 °C with STEAM.Maxi™ 100%	●	●
Convection baking + forced humidity extraction from 30 °C with DRY.Maxi™ from 10% to 100%	●	●
baking with core probe and DELTA T function	●	●
Single-point core probe	●	●
MULTI.Point core probe	-	-
SOUS-VIDE core probe	○	○
ADVANCED AND AUTOMATIC BAKING		
MIND.Mapsm™: draw the baking processes directly on the display	●	●
PROGRAMS: up to 384 programmes that can be saved with name, picture or handwritten signature	●	●
CHEFUNOX: choose something to cook from the library and the oven will automatically set all the parameters	-	-
MULTI.Time: manages up to 10 baking processes at the same time	-	-
MISE.EN.PLACE: synchronises the insertion of pans so that all the dishes are ready at the same time	-	-
AUTOMATIC CLEANING		
Rotor.KLEAN™: 4 automatic cleaning programmes	●	●
Rotor.KLEAN™: water and detergent level detector	-	-
Integrated DET&Rinse™ detergent container	●	●
AUXILIARY FUNCTIONS		
Preheating up to 300 °C can be set by the user for each programme	-	-
Preheating up to 260 °C can be set by the user for each programme	●	●
Remaining baking time display	●	●
Holding baking mode "HOLD" and continuous functioning "INF"	●	●
Display of the nominal value of the baking parameters	●	●
Temperature units in °C or °F	●	●
PERFORMANCE AND SAFETY		
Protek.SAFE™: automatic fan stop on opening the door	●	●
Protek.SAFE™: power modulation of electricity or gas depending on actual need	-	-
Spido.GAS™: high-performance straight heat exchanger pipes for symmetrical heat distribution	-	-
Spido.GAS™: high-performance pressure burners and symmetrical exchangers	-	-
TECHNICAL DETAILS		
Baking chamber in high-resistance AISI 304 stainless steel with rounded edges	-	●
Moulded baking chamber in AISI 316 L marine stainless steel	●	-
Baking chamber with C-shaped rack rails	●	●
Baking chamber lighting through LED lights embedded in the door	●	●
9.5" touchscreen capacitive control panel	-	-
7" touchscreen resistive control panel	●	●
Control panel with water resistance certification - IPX5	●	●
Drip collection system integrated in the door and functional even with the door open	●	●
Heavy-duty structure with the use of innovative materials	●	●
4-speed multiple fan system and high-performance circular resistance	-	●
6 motors with multiple fan system with reverse gear and high power intensity rectilinear resistance	-	-
Door hinges made of high-resistance, self-lubricating techno-polymer	●	●
Door stop positions 120° - 180°	●	-
Door stop positions 60° - 120° - 180°	-	●
Reversible door in use even after installation	-	○
Door thickness 70 mm	●	-
Detachable internal glass door for ease of cleaning	●	●
Two-stage safety door opening / closure	●	○
Proximity door contact switch	●	●
Self-diagnosis system to detect problems or breakdowns	●	●
Safety temperature switch	●	●

Notes

All ovens have an optional model with a left to right door opening - item code example XEVC-1011-E1LM.

All BIG ovens have the trolley included.




Technical details




Anti condensation drip tray



Wi-Fi connection




MULTI.point and SOUS Vide core probe



High performance insulation materials




Integrated LED light



4 speed multiple fan system with high performance heating elements



USB port for upload/download of data



Double glass



Stainless steel AISI 304 cooking chamber



Door docking position at 60°/120°/180°







Integrated DET&Rinse™ tank



Ergonomic handle

Technical details




Accessories

Discover all the available accessories on our website




SLOWTOP



SLOWTOP

for GN 1/1 COUNTERTOP ovens
750 x 792 x 961 mm - w x d x h
Art. XEVSC-0711-CRM


NEUTRAL CABINET



NEUTRAL CABINET


for GN 1/1 COUNTERTOP ovens
750 x 656 x 676 mm - w x d x h
Art. XWVEC-0811

STAND



ULTRA HIGH STAND

for GN 1/1 COUNTERTOP ovens
732 x 641 x 888 mm - w x d x h
Art. XWVRC-0711-UH




HIGH STAND

for GN 1/1 COUNTERTOP ovens
732 x 546 x 752 mm - w x d x h
Art.: XWVRC-0711-H



INTERMEDIATE STAND

for GN 1/1 COUNTERTOP ovens
732 x 546 x 462 mm - w x d x h
Art. XWVRC-0011-M




LOW STAND

for GN 1/1 COUNTERTOP ovens
732 x 546 x 305 mm - w x d x h
Art. XWVRC-0011-L


for GN 2/3 COMPACT ovens
518 x 484 x 305 mm - w x d x h
Art. XWCRC-0023-L

BASKETS AND TROLLEYS




BASKET

for 10 GN 1/1 COUNTERTOP ovens
568 x 361 x 713 mm - w x d x h
Art. XWVBC-0911



BASKET


for 7 GN 1/1 COUNTERTOP ovens
568 x 361 x 546 mm - w x d x h
Art. XWVBC-0611



TROLLEY


for basket GN 1/1
605 x 700 x 923 mm - w x d x h
Art. XWVYC-0011

HOODS




HOOD WITH STEAM CONDENSER

for GN 1/1 BIG ovens
892 x 1131 x 342 mm - w x d x h
Art. XEAHL-HCFL




HOOD WITH STEAM CONDENSER

for GN 1/1 COUNTERTOP ovens
750 x 956 x 240 mm - w x d x h
Art. XEVHC-HC11




HOOD WITH STEAM CONDENSER

for GN 2/3 COMPACT ovens
535 x 900 x 240 mm - w x d x h
Art. XEHC-HC23



HOOD WITH ACTIVATED CARBON FILTER


for GN 1/1 COUNTERTOP ovens
750 x 956 x 366 mm - w x d x h
Art. XEVHC-CF11



HOOD WITH ACTIVATED CARBON FILTER

for GN 2/3 COMPACT ovens
535 x 823 x 366 mm - w x d x h
Art. XEHC-CF23

CARE AND MAINTENANCE



UNOX.PURE-RO

reverse osmosis filtering system
230 x 540 x 445 mm - w x d x h
Art. XHC002

CLEANING AGENTS



DET&RINSE™ PLUS DET&RINSE™ ECO DET&RINSE™ ULTRA

one box contains 10 x 1 lt tanks
Art. DB1015
Art. DB1018
Art. DB1050

CONNECTION




ACCESSORIES FOR THE OVENS CONNECTIONS

Wi-Fi connection kit for COUNTERTOP ovens
Art. XEC002

Wi-Fi connection kit for BIG ovens
Art. XEC016

FLOOR POSITIONING




*Mandatory for oven positioning on the floor

FLOOR POSITIONING

for GN 1/1 COUNTERTOP ovens
732 x 546 x 113 mm - w x d x h
Art. XWVRC-0011-F

QUICK.LOAD & QUICK.PLATE



QUICK.LOAD

for BIG ovens
776 x 681 x 1741 mm - w x d x h
Art. XEVTL-2011


for BIG COMPACT ovens
520 x 668 x 1745 mm - w x d x h
Art. XECTL-2013

QUICK.PLATE

for BIG ovens - 51 plates
776 x 681 x 1709 mm - w x d x h
Art. XEVTL-051P


for BIG COMPACT ovens - 51 plates
520 x 668 x 1711 mm - w x d x h
Art. XECTL-051P

KIT RUOTE



WHEELS KIT

2 wheels with brake - 2 wheels without brake - safety chains
Art. XUC012




HOLDING.COVER

holding cover
for QUICK.LOAD e QUICK.PLATE GN 1/1
Art. XUC030

for QUICK.LOAD e QUICK.PLATE GN 1/1 BIG COMPACT
Art. XUC033

COOKING ESSENTIALS



GRILL

Non-stick aluminium pan for grilling - tray preheating is not necessary

GN 1/1 h 37 mm
Art. TG885


GN 2/3 h 37 mm
Art. TG720



SUPER.GRILL

Ribbed non-stick aluminium pan for grilling, includes GRP970 - with quick load system, to quickly insert full loads

GN 1/1 h 40 mm
Art. TG970




FAKIRO.GRILL

Non-stick aluminium pan with two surfaces - flat and ribbed - for different cookings

GN 1/1 h 12 mm
Art. TG870

GN 2/3 h 12 mm
Art. TG770



BACON.GRID

Perforated stainless steel pan

GN 1/1 h 13,5 mm
Art. TG944



BACON.20

Stainless steel pan with fat collection system


GN 1/1 h 21 mm
Art. TG840



BACON.40

Stainless steel pan with fat collection system


GN 1/1 h 41 mm
Art. TG945



POLLO.GRILL

Stainless steel tray for roasting meat and fish with fat collection system and central drainage

GN 1/1 h 27 mm
Art. GRP840



STEEL.20

Stainless steel pan

GN 1/1 h 20 mm
Art. TG805

STEEL.40


GN 1/1 h 40 mm
Art. TG815



GN 2/3 h 40 mm
Art. TG705

STEEL.65

GN 1/1 h 65 mm
Art. TG825




POLLO.BLACK

Non-stick stainless steel tray with vertical supports for 8 or 4 whole chickens - with fat collection system and central drainage

GN 1/1 h 167 mm
Art. GRP825


GN 2/3 h 140 mm
Art. GRP715



BLACK.20

Non-stick stainless steel pan


GN 1/1 h 20 mm
Art. TG895



BLACK.40

Non-stick stainless steel pan


GN 1/1 h 40 mm
Art. TG900



BLACK.FRY

Perforated stainless steel pan for frying

GN 1/1 h 40 mm
Art. GRP816




CLEAN.FRY

Perforated non-stick stainless steel pan for frying - with fat collection system

GN 1/1 h 51,5 mm
Art. GRP820

BAKING ESSENTIALS



POTATO.FRY

Perforated stainless steel pan for French fries

GN 1/1 h 40 mm
Art. GRP817

GN 2/3 h 30 mm
Art. GRP711




PAN.FRY

Non-stick stainless steel pan for fryin

GN 1/1 h 20 mm
Art. TG905


GN 2/3 h 20 mm
Art. TG735



EGGS 6 x 2

Non-stick aluminium tray for frying up to 12 eggs

GN 1/1 h 27 mm
Art. TG935




EGGS 8 x 1

Non-stick aluminium tray for frying up to 8 eggs

GN 1/1 h 27 mm
Art. TG936

GN 2/3 h 27 mm
Art. TG937



STEAM

Perforated stainless steel pan for steaming

GN 1/1 h 40 mm
Art. GRP815

GN 2/3 h 30 mm
Art. GRP710



FORO.STEEL20

Stainless steel pan

GN 1/1 h 20 mm
Art. TG810

FORO.STEEL 40


GN 1/1 h 40 mm
Art. TG820



GN 2/3 h 40 mm
Art. TG710

FORO.STEEL 65

GN 1/1 h 65 mm
Art. TG830




FAKIRO™

Non-stick aluminium pan with two surfaces - flat and ribbed - for different products

GN 1/1 h 12 mm
Art. TG875

GN 2/3 h 37 mm
Art. TG715




FORO.BLACK

Perforated non-stick aluminium pan

GN 1/1 h 15 mm
Art. TG890


GN 2/3 h 15 mm
Art. TG730



FORO.SILICO

Perforated silicon coated aluminim pan for bakery and pastry products

GN 1/1 h 12 mm
Art. TG975



CHROMO.GRID

Stainless steel grid


GN 1/1 h 8,5 mm
Art. GRP806

GN 2/3 h 8,5 mm
Art. GRP705

Technical Assistance

Installation

The right partner next to your kitchen



A global Service network

A perfect installation is essential to guarantee the correct functioning of your MIND.Maps™ ONE oven and eliminate interruptions in your daily work. We focus on you, so you can focus on what matters to you. Find the authorized Service Centers nearest to your kitchen.

Maintenance

Don't stop your kitchen



The quickest on site Service

When connected to the internet, your oven communicates directly with our Service Team, so we can intervene as soon or even before maintenance is required. Keeping in optimal condition your oven is Unox' priority: our technicians are at your disposal to provide you the best on-line and on-site support.

LONG.Life and LONG.Life4 Warranty

A promise of reliability



A choice made to last


Connect your CHEFTOP MIND.Maps™ ONE to the internet and activate the UNOX LONG.Life4 extended warranty on our website unox.com. Up to 4 years / 10.000 working hours, whichever occurs first, on parts and 2 years on labor.*

*Check the Guarantee Conditions for your country on our website unox.com

LONGLife4!

Global Company. Best Services worldwide.

UNOX in the world



Contacts

Contacts

INTERNAZIONALE

UNOX S.p.a

Via Majorana, 22
35010 - Cadoneghe (PD) - Italy
E-mail: info@unox.com
Tel: +39 049 8657511

EUROPE

IT - ITALIA UNOX S.p.a E-mail: info@unox.it Tel: +39 049 736 0781	GB - UNITED KINGDOM UNOX UK Ltd. E-mail: info.uk@unox.com Tel: +44 1252 851 522	CZ - ČESKÁ REPUBLIKA UNOX DISTRIBUTION s.r.o. E-mail: info.cz@unox.com Tel: +420 241 940 000	NL - NETHERLANDS UNOX NETHERLANDS B.V. E-mail: info.nl@unox.com Tel: +31 70 700 6170
DE - DEUTSCHLAND UNOX DEUTSCHLAND GMBH E-mail: info.de@unox.com Tel: +49 32 211121581	IE - IRELAND UNOX IRELAND E-mail: info.ie@unox.com Tel: +353 (0) 87 32 23 218	HR - HRVATSKA UNOX CROATIA E-mail: narudzbe@unox.com Tel: +39 049 86 57 538	
FR - FRANCE, BELGIUM & LUXEMBOURG UNOX FRANCE s.a.s. E-mail: info.fr@unox.com Tel: +33 4 81 68 19 12	SC - SCANDINAVIAN COUNTRIES UNOX SCANDINAVIA AB E-mail: info.se@unox.com Tel: +46(0)790 75 63 64	BG - БЪЛГАРИЯ UNOX BULGARIA E-mail: info.bg@unox.com Tel: +359 2 419 05 00	
PT - PORTUGAL UNOX PORTUGAL E-mail: info.pt@unox.com Tel: +351 918 228 787	AT - ÖSTERREICH UNOX ÖSTERREICH GMBH E-mail: info.de@unox.com Tel: +43 1206 092 068	PL - POLSKA Unox Polska Sp.zo.o. E-mail: info.pl@unox.com Tel: + 48 22 104 17 01	
ES - ESPAÑA UNOX PROFESIONAL ESPAÑA S.L. E-mail: info.es@unox.com Tel: +34 932 20 36 52	RU - РОССИЯ, ПРИБАЛТИКА И СТРАНЫ СНГ UNOX РОССИЯ E-mail: info.ru@unox.com Tel: +7 (499) 702 - 00 - 14	TR - TÜRKİYE - UNOX TURKEY Profesyonel mutfak ekipmanları endüstri ve ticaret limited şirketi E-mail: info.tr@unox.com Tel: +90 530 176 62 03	

AMERICA

US - U.S.A. & CANADA UNOX Inc. E-mail: info.usa@unox.com Tel: +1 800 489 8669
CO - COLOMBIA UNOX COLOMBIA E-mail: info.co@unox.com Tel: +57 350 65 88 204
BR - BRASIL UNOX BRASIL SERVICOS LTDA. E-mail: info.br@unox.com Tel: +55 11 98717-8201
AR - ARGENTINA UNOX ARGENTINA E-mail: info.ar@unox.com Tel: +54 911 37 58 43 46
MX - MEXICO UNOX MEXICO, S. DE R.L. DE C.V. E-mail: info.mx@unox.com Tel: +52 55 8116-7720

ASIA, OCEANIA & AFRICA

ZA - SOUTH AFRICA UNOX SOUTH AFRICA E-mail: info.za@unox.com Tel: +27 845 05 52 35	PH - PHILIPPINES UNOX PHILIPPINES E-mail: Order.Asia@unox.com Tel: +63 9173108084	AU - AUSTRALIA UNOX AUSTRALIA PTY Ltd. E-mail: info@unoxaustralia.com.au Tel: +61 3 9876 0803
AE - U.A.E. UNOX MIDDLE EAST DMCC E-mail: info.uae@unox.com Tel: +971 4 554 2146	ID - INDONESIA UNOX INDONESIA E-mail: Order.Asia@unox.com Tel: +62 81908852999	NZ - NEW ZEALAND UNOX NEW ZEALAND Ltd. E-mail: info@unox.co.nz Tel: +64 (0) 800 76 0803
UZ - UZBEKISTAN UNOX PRO LLC E-mail: info.uz@unox.com Tel: +998 90 370 90 10	KR - 대한민국 UNOX KOREA CO. Ltd. E-mail: info.kr@unox.com Tel: +82 2 69410351	IN - INDIA UNOX INDIA PRIVATE LIMITED E-mail: info.in@unox.com Tel: +971 4 554 2146
CN - 中华人民共和国 UNOX TRADING(SHANGHAI) Ltd. CO. E-mail: info.china@unox.com Tel: +86 21 56907696	TW - TAIWAN, HONG KONG & MACAU UNOX TAIWAN E-mail: info.tw@unox.com Tel: +886 928 250 536	VN - VIETNAM UNOX INDOCHINA E-mail: info.asia@unox.com Tel: +84916560803
MY - MALAYSIA & SINGAPORE UNOX (ASIA) SDN. BHD E-mail: info.asia@unox.com Tel: +603-58797700	AC - OTHER ASIAN COUNTRIES UNOX (ASIA) SDN. BHD E-mail: info.asia@unox.com Tel: +603-58797700	

MIND.Maps™ ONE

MIND.Maps™ ONE



INVENTIVE SIMPLIFICATION

unox.com



LI1396B1 printed 07-2021

All images used are for illustrative purposes only.

All features indicated in this catalogue may be subject to change and could be updated without notice.