

Fact Sheet

FK32

BIZERBA

Flexible sawing system for industrial food production. Effective comminution and portioning of product in daily continuous operation. Flexible with food whether it is fresh, frozen or smoked and suitable for production of same weight portions such as cutlets.



More information
High performance
with a wide range of
solutions and options.

Specifications	Facts	Details
Dimensions		
Installation area (L x W)	500 x 440 mm 19.7" x 17.3"	
Work area (L x W x H)	777 x 800 x 1600 mm 30.6" x 31.5" x 70.0"	
Saw blade (L x W x H)	2430 x 16 x 0,6 mm 95.7" x 0.6" x 0.024"	
Wheel diameter	315 mm 12.4"	
Electrical data		
Power consumption	230 V, 50 Hz, 6,2 A 400 V, 50 Hz, 3,6 A	Three-phase current Three-phase current
Protection type	IP55	
Performance data		
Cutting height	max. 330 mm 13"	
Slicing width	min./max. 10 - 290 mm 0.4" - 11.4"	
Saw blade speed	ca. 25 m/sec. 82.6 ft/s	
Sales package		
Dimensions (L x W x H)	960 x 960 x 1820 mm 37.8" x 37.8" x 71.7"	
Weight	ca. 138 kg 304.2 lbs ca. 143 kg 315.3 lbs	 including packaging

Options

Facts

Details

Sliding table

343 x 366 mm
13.5" x 14.4"



Infographic



Symbols



Dimensions



FK32

Bizerba SE & Co. KG
Wilhelm-Kraut-Straße 65
72336 Balingen
Germany

T +49 7433 12-0
F +49 7433 12-2696
marketing@bizerba.com

www.bizerba.com