

Fact Sheet

FK23

BIZERBA

Compact saw for sales counter or preparation room. Effective comminution and portioning of product in daily continuous operation. Flexible with food whether it is fresh, frozen or smoked and suitable for production of same weight portions such as cutlets.



More information
High performance
with a wide range of
solutions and options.

Specifications	Facts	Details
Dimensions		
Installation area (L x W)	360 x 350 mm 14.1" x 13.8"	
Work area (L x W x H)	520 x 580 x 857 mm 20.5" x 22.8" x 33.7"	
Saw blade (L x W x H)	1760 x 15 x 0,45 mm 69.3" x 0.3" x 0.018"	
Wheel diameter	220 mm 8.7"	
Electrical data		
Power consumption	120 V, 60 Hz, 12 A 230 V, 50 Hz, 5,3 A 230 V, 50 Hz, 4 A 400 V, 50 Hz, 2,3 A	Single-phase altern. current Single-phase altern. current Three-phase current Three-phase current
Protection type	IP55	
Performance data		
Cutting height	max. 250 mm 9.8"	
Slicing width	min./max. 10 - 190 mm 0.4" - 7.5"	
Saw blade speed	ca. 17 m/sec. 55.8 ft/s	
Sales package		
Dimensions (L x W x H)	650 x 590 x 940 mm 25.6" x 23.2" x 37"	
Weight	ca. 54 kg 119.0 lbs	
	ca. 60 kg 132.3 lbs	including packaging

Options

Facts

Details

Enlarged work table
810 x 530 mm
31.9" x 20.9"


Infographic




Symbols



Dimensions



FK23



without door

Bizerba SE & Co. KG
Wilhelm-Kraut-Straße 65
72336 Balingen
Germany

T +49 7433 12-0
F +49 7433 12-2696
marketing@bizerba.com

www.bizerba.com