

# DEEP FRYER 2 x 10ℓ FLOOR STANDING

MANUFACTURING SINCE 1966



Model: FFA2010



# **FEATURES**

- Large surge area and effective cold zone
- Stainless Steel tank
- Hinged door mechanisms
- Large 40mm drain valve for fast effective draining
- Operating temperature: 50°C 190°C
- Large volume, oil capacity for twin basket operation
- Temperature thermostatically controlled with safety cut out to oprevent oil flashing
- Adjustable feet for levelling
- Ideal for use in restaurants, canteens, take aways

## NOTE:

- Stainless steel baskets sold separately
- Supplied with one drain tank



# THE CHEFS COMPANION

2 x 10 l

## Model: FFA2010


# 510 mm

# **SPECIFICATIONS**

POWER
VOLTAGE
PACKAGING (W x D x H)
UNIT (W x D x H)
NET WEIGHT
GROSS WEIGHT
SHIPPING VOLUME
VOLUME OF OIL
PRODUCT OUTPUT

2 x 8.25kW 380V - 50Hz - 3Phase 560 x 700 x 1140 (mm) 510 x 660 x 1000 (mm) 45kg 50kg 0.45m<sup>3</sup>

Approx 40kg French Fries Per Hour




OPTIONAL	<b>EXTRAS</b>
BASKET	

-/		
	CODE	DESCRIPTION
	CBS2280	Fryer Basket - No Side Hooks 280 x 179 x 130mm

### **RECEIVER**

CODE	DESCRIPTION
ORA0002	Oil Receiver



## NOTE

When viewing the appliance from the front in it's usual operating position, the width (W) of the product is the total distance from left to right; the depth (D) of the product is the total distance from the front to the back; the height (H) is the total distance from the bottom of the product to the top. Pictures may vary from actual product.

## **DISCLAIMER**

Output performance figures quoted are dependant on various factors. Anvil reserves the right, without notice, to make changes and revisions to product specifications, materials and design, when we believe it will provide better performance, durability, and efficiency. Unit measurements may vary depending on point of reference.



www.anvilworld.com

**Published Date:** 2019.01.28