



FREZMACTM
AN OBSESSION FOR FROZEN AND FRESH

ABOUT FREZMAC

Eco Green Technology

FREZMAC is proud to introduce HFC free refrigerant in our commercial refrigeration. Our refrigeration system is environmentally forward-leaning. We are the harbinger in adapting our refrigeration technology with CE compliant propane hydrocarbon, a natural, eco-friendly and efficient refrigerant.

This refrigeration technology can be incorporated into any commercial or industrial system or equipment while offering excellent energy efficiencies and very low global warming potential (GWP). It is gaining its popularity as a long-term environmentally friendly alternative in cooling and refrigeration worldwide.

Hydrocarbon Refrigeration Minimal Energy Performance

Introducing Frezmac, Malaysia No.1 commercial refrigeration with unique cool refrigerant technology. Design for powerful cooling performance and energy saving.

With its thermodynamic properties, Frezmac achieved significant improvement on cooling capacity and lower wattage consumption which inevitably reduce cost of electricity. In addition, hydrocarbon requires less load to exceed the cooling performance of HCFs (R-134A/R-404A).

Success Stories





COMMERCIAL REFRIGERATION

Quality Fridge at Affordable Prices



Air-Cooling Refrigeration
Under Counter Series



Stainless steel
interior & exterior



High ambient 43°C
refrigeration system



Design for optimal
air circulation



Maximise energy
efficiency



Environmentally safe
refrigerant



Air-Cooling Refrigeration
Under Counter Series

2 DOOR COUNTER CHILLER / FREEZER



2 DOOR COUNTER CHILLER / FREEZER



WIDTH 1,200MM

Refrigerator		
Model	FMT-4C6	FMT-4C
Dimension (W x D x H)	1200 x 600 x 850mm	1200 x 760 x 850mm
Volume	170L	219L
Door	2	
Power	370W	
Temperature Range	2 ~ 8 °C	
Refrigerant	R290	

❄️ Freezer		
Model	FMT-4F6	FMT-4F
Dimension (W x D x H)	1200 x 600 x 850mm	1200 x 760 x 850mm
Volume	170L	219L
Door	2	
Power	570W	
Temperature Range	-20 ~ -5 °C	
Refrigerant	R290	

WIDTH 1,500MM

Refrigerator		
Model	FMT-5C6	FMT-5C
Dimension (W x D x H)	1500 x 600 x 850mm	1500 x 760 x 850mm
Volume	243L	311L
Door	2	
Power	370W	
Temperature Range	2 ~ 8 °C	
Refrigerant	R290	

❄️ Freezer		
Model	FMT-5F6	FMT-5F
Dimension (W x D x H)	1500 x 600 x 850mm	1500 x 760 x 850mm
Volume	243L	311L
Door	2	
Power	570W	
Temperature Range	-20 ~ -5 °C	
Refrigerant	R290	



Air-Cooling Refrigeration
Under Counter Series

2 DOOR COUNTER CHILLER / FREEZER



Refrigerator	
Model	FMT-6C2D
Dimension (W x D x H)	1800 x 760 x 850mm
Volume	403L
Door	2
Power	370W
Temperature Range	2 ~ 8 °C
Refrigerant	R290



❄ Freezer	
Model	FMT-6F2D
Dimension (W x D x H)	1800 x 760 x 850mm
Volume	403L
Door	2
Power	570W
Temperature Range	-20 ~ -5 °C
Refrigerant	R290

3 DOOR COUNTER CHILLER / FREEZER



Refrigerator		
Model	FMT-6C6	FMT-6C
Dimension (W x D x H)	1800 x 600 x 850mm	1800 x 760 x 850mm
Volume	315L	403L
Door	2	
Power	370W	
Temperature Range	2 ~ 8 °C	
Refrigerant	R290	



❄ Freezer		
Model	FMT-6F6	FMT-6F
Dimension (W x D x H)	1800 x 600 x 850mm	1800 x 760 x 850mm
Volume	315L	403L
Door	2	
Power	570W	
Temperature Range	-20 ~ -5 °C	
Refrigerant	R290	



Air-Cooling Refrigeration
Under Counter Series

2 GLASS DOOR COUNTER CHILLER



Refrigerator		
Model	FMT-4CG	
Dimension (W x D x H)	1200 x 600 x 850mm	1200 x 760 x 850mm
Volume	170L	219L
Door	2	
Power	370W	
Temperature Range	2 ~ 8 °C	
Refrigerant	R290	



Refrigerator		
Model	FMT-5CG	
Dimension (W x D x H)	1500 x 600 x 850mm	1500 x 760 x 850mm
Volume	243L	311L
Door	2	
Power	370W	
Temperature Range	2 ~ 8 °C	
Refrigerant	R290	

3 GLASS DOOR COUNTER CHILLER



Refrigerator		
Model	FMT-6CG	
Dimension (W x D x H)	1800 x 600 x 850mm	1800 x 760 x 850mm
Volume	315L	403L
Door	2	
Power	370W	
Temperature Range	2 ~ 8 °C	
Refrigerant	R290	

WIDTH 1,200MM

WIDTH 1,500MM

WIDTH 1,800MM


Self-evaporation design


Energy-saving compressor



Auto cooling fan


Digital controller - constant temperature


Self closing door


Interior LED light


Castor wheel with adjustable feet


Interior SS304 food grade material




Stainless steel interior & exterior


High ambient 43°C refrigeration system


Design for optimal air circulation


Maximise energy efficiency


Environmentally safe refrigerant

2 DOOR UPRIGHT CHILLER / FREEZER



Refrigerator		❄️ Freezer	
Model	FMH-2DUC	Model	FMH-2DUF
Dimension (W x D x H)	610 x 760 x 1960mm	Dimension (W x D x H)	610 x 760 x 1960mm
Volume	438L	Volume	438L
Door	2	Door	2
Power	410W	Power	630W
Temperature Range	2 ~ 8 °C	Temperature Range	-20 ~ -5 °C
Refrigerant	R290	Refrigerant	R290

4 DOOR UPRIGHT CHILLER / FREEZER



Refrigerator		❄️ Freezer	
Model	FMH-4DUC	Model	FMH-4DUF
Dimension (W x D x H)	1200 x 760 x 1960mm	Dimension (W x D x H)	1200 x 760 x 1960mm
Volume	960L	Volume	960L
Door	4	Door	2
Power	510W	Power	780W
Temperature Range	2 ~ 8 °C	Temperature Range	-20 ~ -5 °C
Refrigerant	R290	Refrigerant	R290