

VINTEC




The Vintec story

Vintec is recognised across Australia and the Asia-Pacific region as the benchmark for wine preservation solutions.

We offer precision tools for cellaring and serving that are coveted by enthusiastic collectors, sophisticated entertainers and industry professionals alike.

We are deeply passionate about wine, and believe that correct temperature control can unlock a whole new level of enjoyment and satisfaction for your wine experience.



Heritage

The Vintec brand was created in 2000 by two entrepreneurial Frenchmen who shared a common love for wine. They leveraged their previous experience with the Transtherm luxury wine cabinets brand to collaborate with Danish designers and manufacturers to introduce a range of stylish, functional and accessible wine preservation systems.



Products

Vintec has the widest range of wine cellaring and serving solutions to meet all requirements and capacities from 20 to 4000 bottles: if Vintec can't meet your needs, no other brand can.



Knowledge

We offer wine expertise without the ego, to guide you along your wine journey and provide you with knowledge and confidence to appreciate your wine at its best.



Humidity

High humidity will cause mould whereas low humidity will cause corks to dry out. Vintec wine cellars are equipped with a system that recycles water from condensation, ensuring ideal humidity conditions for your wine.



UV Protection

Light and UV rays rapidly destroy your wines by oxidising wine tannins. Vintec wine cellars safeguard your fine wines from harmful light and UV rays with anti-UV treated glass doors.

Vibration Free

Slow, balanced-cycle compressors and wooden shelves are equipped in the Vintec wine cellars, to reduce vibration to the minimum.



Temperature

All wines mature at the same temperature, which is a constant temperature set between 10°C to 14°C. Vintec presents a wide range of wine cellars offering single, dual and multi-temperature models to meet your cellaring needs.



Collector's Choice

The quality of the materials, the innovative technology and the contemporary design make Vintec wine cellars the ideal solution for safeguarding your precious wine collection.



Natural Ventilation

In order to prevent mould growth, which would generate bad odour and risk deteriorating the corks. Vintec provides natural permanent ventilation, introducing renewed air from the ambience into the cellar through an "air circulation" effect.

"I am totally delighted with my Vintec wine cabinet. It combines elegance and functionality of the highest order."

James Halliday - Leading Australian Wine Critic








VWM198SBA

▲ For slot-in model, warranty void if not followed the recommended dimensions.

Wine Storage Cabinets (Free Standing/Slot-in)

Features

- Humidity recycling system
- Single/multi temperature
- Borderless black glass door
- Cabinet body colour Black
- Shelves - 4 full adjustable, 1 display, 1 ¼ shelf
- Electronic temperature control and display
- 2 adjustable feet - front
- 2 castors - rear
- Capacity : 198 Bordeaux bottles
- Packed weight : 85kgs
- Temperatures : 5°C - 20°C
- Electricity consumption : 1kWh/per day
- Power : 240V 50Hz / 60Hz
- Dimensions (HxWxD) 1850mm x 595mm x 610mm



Double glazed door with anti-UV glass



Digital temperature display with touch controls



Audio and visual alarm



Fixed American Oak shelving for optimum capacity



Inverter compressor



Winter function (heating system)




Security lock




Premium strip LED lighting



Sabbath mode



FRONT VIEW



SIDE VIEW


NOTE: If a vertical vent space (Vx) of 100mm is provided, then a minimum top ventilation gap (Tx) of 50mm is sufficient, but otherwise minimum Tx of 100mm is required.

NOTE: Illustrations not to scale. All dimensions in millimetres.

*Minimum 10mm required whether proud-fit or flush-fit, however 30mm is recommended on the opening edge for easy finger grip access when installed flush-fit.

For complete installation instructions, please refer to the user manual for this product.

	Width	Depth	Height
Product dimensions	595	610	1860
Installation	660	640	1860 + Tx



TOP VIEW



VWS035SCA-X

! This unit is strictly FREE-STANDING only.
Kindly adhere to prevent WARRANTY VOID.

Wine Storage Cabinets (Free Standing Only)

Features

- Humidity controlled
- Single temperature
- Black glass door
- Cabinet body colour black
- White LED light
- 4 wooden shelves
- Electronic temperature control and display
- 2 adjustable feet (front), 2 castors (rear)
- Capacity : 30-35 Bordeaux bottles
- Packed weight : 38 kgs
- Temperature : 6°C - 18°C
- Electricity consumption : 0.395kWh/per day
- Noise level : 39-40dB
- Power : 240V 50Hz
- Dimensions (HxWxD)
840mm x 493mm x 588mm



Single Temperature zone
for aging purpose



Easily Adjustable
Wooden Shelves



ECO Technology



Double Layer
Glass Door



White LED Light



VWS035SBA-X

! This unit is strictly FREE-STANDING only.
Kindly adhere to prevent WARRANTY VOID.

Wine Storage Cabinets (Free Standing Only)

Features

- Humidity controlled
- Single temperature
- Borderless black glass door
- Cabinet body colour Black
- White LED light
- 4 wooden shelves
- Electronic temperature control and display
- Double layer glass door
- Adjustable feet
- Reversible door hinge
- Capacity : 28 / 35 (750ml Bordeaux bottles)
- Packed weight : 44 kgs
- Temperatures : 6° - 18°
- Electricity consumption : 0.395kWh/per day
- Power : 240V 50Hz / 60Hz
- Noise level : 36-37dB
- Dimensions (HxWxD)
831mm x 493mm x 577mm



Single Temperature zone
for aging purpose



Double Layer
Glass Door



Reversible Door Hinge*



Easily Adjustable
Wooden Shelves



ECO Technology



VWS050SAA-X

! For slot-in model, warranty void if not followed the recommended dimensions.

Wine Storage Cabinets (Free Standing/Slot-in)

Features

- Single Temperature
- Brushed aluminium frame glass door
- Cabinet body color black
- 5 adjustable wooden shelves
- Electronic temperature control and display
- Adjustable feet
- Recessed door handle
- Capacity : 40 Bordeaux bottles
- Packed weight : 45kgs
- Temperatures : 5°C - 18°C
- Electricity consumption : 0.397kWh/per day
- Noise level : 36-37dB
- Power : 240V 50Hz / 60Hz
- Dimensions (HxWxD)
820mm x 595mm x 573mm



Single Temperature zone for aging purpose

SINGLE °C



Easily Adjustable Wooden Shelves



ECO Technology




Reversible Door Hinge*



White LED Light



Double Layer Glass Door



VWD050SBA-X

! For slot-in model, warranty void if not followed the recommended dimensions.

Wine Storage Cabinets (Free Standing/Slot-in)

Features

- 2 temperature serving cabinet
- Borderless black glass door
- Cabinet body colour Black
- 4 full wooden shelves
- Electronic temperature control and display
- Adjustable feet
- Capacity : 40 Bordeaux bottles
- Packed weight : 52 kgs
- Temperatures:
upper - 6°C - 12°C
lower - 12°C - 18°C
- Electricity consumption : 0.542kWh/per day
- Noise level : 36-37dB
- Power : 240V 50Hz / 60Hz
- Dimensions (HxWxD)
820mm x 595mm x 561mm



Dual Temperature Zone for aging or serving purpose

DUAL °C



Easily Adjustable Wooden Shelves



ECO Technology



Reversible Door Hinge*




Child Lock



Crystal White LED Light



Double Layer Glass Door



VWS050SSA-X

 For slot-in model, warranty void if not followed the recommended dimensions.

Wine Storage Cabinets (Free Standing/Slot-in)



Features

- Humidity controlled
- Single temperature serving cabinet
- Seamless Stainless steel frame glass door
- Cabinet body colour Black
- 5 wooden shelves with stainless steel front
- Electronic temperature control and display
- Adjustable feet
- Capacity : 40 Bordeaux bottles
- Packed weight : 48 kgs
- Temperatures : 6°C - 18°C
- Electricity consumption : 0.397kWh/per day
- Noise level : 36-37dB
- Power : 240V 50Hz / 60Hz
- Dimensions (HxWxD)
820mm x 595mm x 571mm



Single Temperature



Easily Adjustable
Wooden Shelves



ECO Technology



Reversible Door Hinge*




Child Lock



Double Layer
Glass Door



White LED Light



VWD154SSA-X

 For slot-in model, warranty void if not followed the recommended dimensions.

Wine Storage Cabinets (Free Standing/Slot-in)

Features

- Dual temperature
- Sliding Wooden Shelves
- White LED light
- Stainless Steel Door Frame
- Double layer glass door
- Equipped with Lock (Hexagonal Key)
- Temperature Setting : Electronic
- LED Display : Yes
- Reversible Door Hinges* : Yes
- Capacity : 138 Bordeaux bottles
- Packed weight : 114 kgs
- Temperature:
Upper Compartment: 5°C - 18°C;
Lower Compartment: 5°C - 18°C
- 14 adjustable wooden shelves
- Dimension (H x W x D) mm
1762mm x 595mm x 680mm



Dual Temperature
Zone for aging or serving
purpose



Easily Adjustable
Wooden Shelves



ECO Technology



Reversible Door Hinge*




Child Lock



Double Layer
Glass Door



White LED Light





VWS165SCA-X

 For slot-in model, warranty void if not followed the recommended dimensions.

Wine Storage Cabinets (Free Standing/Slot-in)

Features

- Humidity controlled
- Single temperature
- Black glass door
- White LED light
- Cabinet body colour black
- 15 sliding wooden shelves
- Electronic temperature control and display
- 2 adjustable feet (front), 2 castors (rear)
- Reversible Door Hinges* : Yes
- Capacity : 166 Bordeaux bottles
- Packed weight : 113 kgs
- Temperature : 5°C - 18°C
- Noise level : 39-40dB
- Power : 240V 50Hz
- Dimensions (HxWxD)
1770mm x 595mm x 680mm



SINGLE °C

Single Temperature zone for aging purpose



Easily Adjustable Wooden Shelves



ECO Technology




Double Layer Glass Door



Child Lock



White LED Light



VWS121SCA-X

 For slot-in model, warranty void if not followed the recommended dimensions.

Wine Storage Cabinets (Free Standing/Slot-in)

Features

- Humidity controlled
- Single Temperature
- Black glass door
- Cabinet body colour black
- 11 sliding wooden shelves
- Crystal White LED Light
- Double Layer Glass Door
- Equipped with Lock (Hexagonal Key)
- Temperature Setting : Electronic
- LED Display : Yes
- Reversible Door Hinges* : Yes
- Capacity : 108 Bordeaux bottles
- Packed weight : 93 kgs
- Temperature : 5°C - 18°C
- Dimension (H x W x D)
1390mm x 595mm x 680mm



SINGLE °C

Single Temperature zone for aging purpose



Easily Adjustable Wooden Shelves



ECO Technology



Reversible Door Hinge*




Child Lock




Double Layer Glass Door



White LED light



Guide to Perfect Serving Temperatures




Although all wines-reds, whites & Champagnes - should be becellared at the same temperature, different wines have different ideal serving temperatures. Cellar and serve your wines according to the chart below in order to always enjoy your wines at their best.

Space Requirement

For Slot-in Models

Between top panel - 50mm
From wall - 100mm
From side wall - 30mm



Important Notice

- Place unit away from windows and direct sunlight. Ensure unit placed in well ventilated area. Do not stack chiller with other appliances.
- For all **FREE-STANDING** placement - Ensure a minimum of **100mm space** at the back of the unit from wall.
- For **VWS035SCA-X** and **VWS035SBA-X** are strictly **FREE-STANDING** only. Kindly adhere to prevent **WARRANTY VOID**.
- For all newly delivered **VINTEC** unit, please ensure a minimum of 6 hours rest time before power on.



Why choose Vintec?

Wine cellar are our specialty

In fact, that is all we do. Being intimately connected to the wine industry and focussed solely on wine cabinets for over two decades, we have developed the largest and most advanced range to suit all wine storage requirements.

We care about your collection

Our highest priority is to offer the best and safest storage solution for your wine. For instance, all our cellars have dark interiors and dim UV-free lighting, instead of white interiors and bright lights. Why? Because it's important to keep your wine in a dark storage area.

The Vintec guarantee

All Vintec wine cellars have been tested to ensure they function in Malaysia climate. Covered by a two year warranty, our cellars bear unique identification numbers that allow their origin and authenticity to be traced. They are also backed by dedicated phone support teams in Kuala Lumpur, Penang, Johor Bahru, as well as a national network of service specialists.



Authorised Agent: