

# KSET62E

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Telescopic
Extraction	Extraction
Material	Painted material
EAN code	8017709233044
Hood width	60 cm



## Aesthetics

Aesthetic Colour	Universale Silver	Serigraphy colour Logo	Black Silk screen
------------------	-------------------	------------------------	-------------------



## Controls

Control setting	Buttons
-----------------	---------

## Programme / Functions

No. of speeds	3
---------------	---

## Technical Features

 	No. of lights	2	No. of filters	2
	Light type	LED	Anti-grease filters	Aluminium
	Light Power	3 W	Vent outlet	120 mm
	Light color temperature scale (°K)	2700 °K	Minimum distance from GAS hob	650 mm
	Free outlet maximum capacity	304 m³/h	Minimum distance from ELECTRIC hob	500 mm
	Motor power	115 W	Non return valve	Yes

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	125	46
Speed 2	160	48
Speed 3	304	62

## Performance / Energy Label




Annual Efficiency Consumption (AEChood)	62 kWh/a	Airbourne acoustical A-weighted sound Power Emission at minimum speed (SPEmin)	46 dB(A)
Energy efficiency class (EEC)	D	Airborne acoustical A-weighted sound Power Emission at maximum speed (SPEmax)	62 dB(A)
Fluid Dynamic Efficiency (FDE)	10,3	Time increase factor (F)	1,6
Fluid Dynamic Efficiency class (FDEC)	E	Measured air flow rate at best efficiency point (Qbep)	198 m³/h
Lighting Efficiency (LE)	13 lux/W	Measured air pressure at best efficiency point (Pbep)	187 Pa
Lighting Efficiency Class (LEC)	D	Measured electric power input at best efficiency point (Wbep)	99 W
Grease Filtering Efficiency (GFE)	66 %	Nominal Power consumption of the light system (WL)	6 W
Grease Filtering Efficiency Class (GFEC)	D	Average illumination of the light on the cooking surface (Emiddle)	78 lux
Air flow at minumum speed (Qmin)	125 m³/h	Sound power level at highest setting (Lwa)	62 dB(A)
Air flow at maximum speed (Qmax)	304 m³/h		

## Electrical Connection

Electrical connection rating	121 W	Frequency (Hz)	50-60 Hz
Voltage	220-240 V	Power supply cable length	1500 mm

## Optional accessories

Charcoal filter	KITFC62
-----------------	---------



---

## Not included accessories

---



**KITFC62**

Charcoal filter round (kit 2 pieces)

---

## Symbols glossary (TT)

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



**D:** Product energy rating, measured from A+++ to D / G depending on the product family.