



# COMMERCIAL MIXERS

# GEM120 20 Quart Mixer

Project Name:

Location:

Item:

Qty.:

Model:



**GEM120**  
20 Quart Mixer

## FEATURE LIST

Model:	GEM120
Description:	20 Quart Mixer (18.9 l)
Voltage:	120/60/1 (optional: 220/50/1, 220/60/1)
Rated Power:	1.5 hp rated motor / 1.8Kw at 120V
Bowl Capacity:	20 qt / 18.9 l
Speed:	108/195/355 RPM
Net Weight:	198 lb / 90kg

These all-purpose mixers use a planetary mixing action that consistently blends, mixes and aerates all ingredients with satisfactory results. The heat treated carbon steel gears deliver energy at three pre-selected fixed speeds. Each mixer comes standard with a stainless steel bowl, flat beater, spiral dough

hook, and wire whip. The stainless steel wire front bowl guard opens easily for adding ingredients. The bowl guard magnetic lock prevents the mixer from running if guard is opened or the bowl is lowered. The switches are moisture resistant. All units come with an overload switch which protects the motor.



Specifications subject to change without notice.

Approvals: ETL Sanitation, cETLus, cULus Safety

Printed in the USA

Rev050216W

**GENERAL**

3355 Enterprise Ave • Suite 160 • Ft. Lauderdale, FL 33331


Tel: 954.202.7419 • Fax: 954.202.7337 • [www.generalfoodservice.com](http://www.generalfoodservice.com)

General Foodservice's continuing commitment to quality products may mean a change in specification or pricing without notice.



# PLAN VIEW

# GEM120 20 Quart Mixer



## Dimensional Data

Model	Description	Voltage	Rated Power	Bowl Capacity	Speed	Ship Weight
GEM120	20 Quart Mixer 18.9 l	120/60/1 primary 220/50/1 optional 220/60/1 optional	15 amp draw at 120v 1.5 hp motor 1.8 kw	20 qt 18.9 l	108/195/355 RPM	242 lb 110 kg

- Mixer has a 3 speed, 1.5 hp, totally enclosed and permanently lubricated, thermally protected motor.
- Heat treated carbon steel gears fully sealed allow durability and dependability with quiet operation.
- 3 Pre-selected, fixed speeds, 108/195/355RPM

- Manual bowl lift is lever operated and self locking in top position.
- #12 Taper hub front port.
- Spiral dough hook, flat batter beater, and wire whip.
- Bowl guard with magnetic lock prevents the unit from running if guard is open.
- Overload switch on all mixers.
- Switches are moisture resistant.

### GENERAL